



Reference Guide to Whitebark Pine

Authors: Ward W. McCaughey and Tad Weaver

This is a published article that originally appeared in Proceedings - Symposium on whitebark pine ecosystems: ecology and management of a high mountain resource, USDA Forest Service General Tech Report INT-270 in 1990. The final version can be found at <https://doi.org/10.2737/INT-GTR-270>.

W McCaughey and T Weaver 1990. Reference Guide to Whitebark Pine. p376-386, Schmidt, Wyman C.; McDonald, Kathy J., compilers. 1990. Proceedings - Symposium on whitebark pine ecosystems: Ecology and management of a high-mountain resource; 1989 March 29-31; Bozeman, MT. Gen. Tech. Rep. INT-GTR-270. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 386 p.

Made available through Montana State University's [ScholarWorks](https://scholarworks.montana.edu)
scholarworks.montana.edu

REFERENCE GUIDE TO WHITEBARK PINE

Ward W. McCaughey
T. Weaver

The purpose of this guide is to provide an easy access to literature about whitebark pine (*Pinus albicaulis*) for those managers and researchers who are concerned with this species. Because of the uniqueness of the species and the lack of concentrated research programs in the past, documents about whitebark pine are found in a wide variety of places, including some rather obscure sources. We assembled this guide to help those needing access to whitebark pine information.

This document references all the literature we could find specific to whitebark pine. Biological Abstracts from 1927 to 1988 was our primary source of references; therefore, bioabstract index numbers are provided to give the user easy access to the author's own annotation. Other papers listed in Forestry Abstracts and Agricola were added. The papers included in this symposium proceedings are not listed here.

- Anon. 1946. Report on American big trees. American Forestry Association.
- Anon. 1951. Canadian woods (their properties and uses). Ottawa, ON: Forestry Branch, Forest Products Division. 367 p.
- Anon. 1961. Native trees of Canada. Bull. 61. Ottawa, ON: Canada Department of Forestry. 291 p.
- Achuff, P. L. 1989. Old-growth forests of the Canadian Rocky Mountain National Parks. Natural Areas Journal. 9(1): 12-26.
- Agee, J. K.; Kertis, J. 1987. Forest types of the North Cascades National Park Service complex, Washington USA. Canadian Journal of Botany. 65(7): 1520-1530. [84086059]
- American Forestry Association. 1986. National register of big trees. American Forests. 92(4): 21-52.
- Amman, G. D. 1982. Characteristics of mountain pine beetles reared in four pine hosts. Environmental Entomology. 11(3): 590-593. [75017520]
- Anderson, A. B.; Rifer, K.; Wong, A. 1969. Monoterpenes, fatty, and resin acids of *Pinus edulis* and *Pinus albicaulis*. Phytochemistry. 8(10): 1999-2001. [51039962]
- Angove, K.; Bancroft, B. 1983. A guide to some common plants of the southern interior of British Columbia. Land Manage. Handb. 7. Victoria, BC: British Columbia Ministry of Forests. 225 p.
- Armstrong, J. K.; Williams, K.; Huenneke, L. F.; Mooney, H. A. 1988. Topographic position effects on growth depression of California Sierra Nevada pines during the 1982-83 El Nino. Arctic and Alpine Research. 20(3): 352-357. [85101211]
- Arno, S. F. 1966. Interpreting the timberline: an aid to help park naturalists to acquaint visitors with the subalpine-alpine ecotone of western North America. Missoula, MT: University of Montana. 206 p. Thesis.
- Arno, S. F. 1970. Ecology of alpine larch (*Larix lyallii* Parl.) in the Pacific Northwest. Missoula, MT: University of Montana. 264 p. Dissertation.
- Arno, S. F. 1976. The historical role of fire on the Bitterroot National Forest. Res. Pap. INT-187. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station. 29 p.
- Arno, S. F. 1980. Forest fire history in the Northern Rockies. Journal of Forestry. 78: 460-465.
- Arno, S. F. 1981. [Unpublished observations]. Missoula, MT: U.S. Department of Agriculture, Forest Service, Intermountain Fire Sciences Laboratory.
- Arno, S. 1986. Whitebark pine cone crops—a diminishing source of wildlife food? Western Journal of Applied Forestry. 1(3): 92-94.
- Arno, S. F.; Habeck, J. R. 1972. Ecology of alpine larch (*Larix lyallii* Parl.) in the Pacific Northwest. Ecological Monographs. 42: 417-450.
- Arno, S. F.; Hammerly, R. 1984. Timberline—mountain and arctic forest frontiers. Seattle, WA: The Mountaineers. 304 p.
- Arno, S. F.; Hoff, R. J. 1989. Silvics of whitebark pine (*Pinus albicaulis*). Gen. Tech. Rep. INT-253. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 11 p.
- Arno, S. F.; Petersen, T. D. 1983. Variation in estimates of fire intervals: a closer look at fire history on the Bitterroot National Forest. Res. Pap. INT-301. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station. 8 p.
- Ayres, H. B. 1900a. The Flathead Forest reserve. U.S. Geological Survey, 20th Annual Report. V: 245-316.
- Ayres, H. B. 1900b. Lewis and Clark Forest reserve, Montana. U.S. Geological Survey, 21st Annual Report. V: 27-80.
- Axelrod, D. I. 1986. Cenozoic history of some western American pines. Annals of the Missouri Botanical Gardens. 73(3): 565-641. [32114083]

Ward W. McCaughey is Forester, Intermountain Research Station, Forest Service, U.S. Department of Agriculture, Bozeman, MT 59717. T. Weaver is Plant Ecologist, Department of Biology, Montana State University, Bozeman, MT 59717.

- Bagnell, C. R., Jr. 1975. Species distinction among pollen grains of *Abies*, *Picea*, and *Pinus* in the Rocky Mountain area (a scanning electron microscope study). Review of Palaeobotany and Palynology. 19(3): 203-220. [61059061]
- Baig, M. N. 1972. Ecology of timberline vegetation in the Rocky Mountains of Alberta. Calgary, AB: University of Calgary. 446 p. Dissertation.
- Bailey, D. K. 1975. *Pinus albicaulis*. Curtis's Botanical Magazine. 180(111): 140-147.
- Bailey, H. E.; Bailey, V. L. 1941. Forests and trees of the western national parks. Conserv. Bull. 6. Washington, DC: U.S. Department of the Interior. 129 p.
- Baker, B. H.; Amman, G. D.; Trostle, G. C. 1971. Does the mountain pine beetle change hosts in mixed lodgepole and whitebark pine stands? Res. Note INT-151. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station: 1-7. [08052097]
- Baker, F. S. 1944. Mountain climates of the western United States. Ecological Monographs. 14(2): 233-254.
- Baker, F. S. 1949. A revised tolerance table. Journal of Forestry. 47(3): 179-182.
- Baker, R. G. 1970. Pollen sequence from late quaternary sediments in Yellowstone Park. Science. 168(3938): 1449-1450. [52003869]
- Baker, R. G. 1976. Late quaternary vegetation history of the Yellowstone Lake basin, Wyoming. Prof. Pap. 729-E. U.S. Geological Survey.
- Baker, R. G. 1981. Interglacial and interstadial environments in Yellowstone National Park. In: Mahaney, W. C., ed. Quaternary paleoclimate. Norwich, England: Geo Books: 361-375.
- Baker, R. G. 1983. Holocene vegetational history of the Western United States. In: Wright, H. E., Jr., ed. Late-quaternary environments of the United States. Vol. 2. The Holocene. Minneapolis, MN: University of Minnesota Press: 109-127.
- Baker, R. G. 1986. Sangamonian(?) and Wisconsinan paleoenvironments in Yellowstone National Park. Bull. 97. Geological Society of America: 717-736.
- Baker, R. G.; Richmond, G. M. 1978. Geology, palynology, and climatic significance of two pre-Pinedale Lake Sediment sequences in and near Yellowstone National Park. Quaternary Research. 10: 226-240.
- Baranyay, J. A. 1964. Province of Alberta: forest insect and disease survey: forest disease condition. In: Annual report, Forest Insect and Disease Survey for Entomology and Pathology Branch, Canada: 102-105.
- Barnosky, C. W.; Anderson, P. M.; Bartlein, P. J. 1987. The northwestern U.S. during deglaciation; vegetational history and paleoclimatic implications. In: The geology of North America. Vol. K-3. North American and adjacent oceans during the last deglaciation. Boulder, CO: Geological Society of America: 289-321.
- Beaudoin, A. B.; King, R. H. [Unpublished manuscript]. Late-quaternary vegetation history of Wilcox Pass, Jasper National Park, Alberta. 31 p.
- Bedwell, J. L.; Childs, T. W. 1943. Susceptibility of whitebark pine to blister rust in the Pacific Northwest. Journal of Forestry. 41: 904-912.
- Berg, M. J.; Carlson, C. E.; Lounsbury, L. P.; Dooling, O. J. 1975. [Unpublished report]. Missoula, MT: U.S. Department of Agriculture, Forest Service, Northern Region, State and Private Forestry. 15 p.
- Bingham, R. T. 1972. Taxonomy, crossability, and relative blister rust resistance of 5-needled white pines. In: Biology of rust resistance in forest trees. Misc. Publ. 1221. Washington, DC: U.S. Department of Agriculture, Forest Service: 271-280.
- Blanchard, B. M. 1980. Grizzly bear-timber relationships in the Yellowstone area, 1978-1979. In: Yellowstone grizzly bear investigations. Annual Report 1978-79. U.S. Department of the Interior, National Park Service: 76-84.
- Blanchard, B. M. 1983. Grizzly bear-habitat relationships in the Yellowstone area. International Conference on Bear Research and Management. Madison, WI: International Bear Association. 5: 118-123.
- Blankenship, J. 1905. Native economic plants of Montana. Bull. 56. Bozeman, MT: Montana Agricultural Experiment Station: 1-388.
- Borlaug, N. E. 1971. Moderator's summary: a cereal breeder and ex-forester's evaluation of the progress and problems involved in breeding rust resistant forest trees. In: Biology of rust resistance in forest trees. Misc. Publ. 1221. Washington, DC: U.S. Department of Agriculture, Forest Service: 615-642.
- Bourchier, R. J. 1954. Forest disease survey: prairie provinces, Alberta and Rocky Mountain national parks. In: Annual report, Canadian Department of Agriculture, Science Service, Forest Biology Division, Forest Insect and Disease Survey: 128-135.
- Branson, B. A. 1987. Timberline sentinel. American Forests. 93(7): 55-56.
- Bratkovich, A. A. 1986. Grizzly bear habitat components associated with past logging practices on the Libby Ranger District, Kootenai National Forest. In: Contreras, G. P.; Evans, K. E., compilers. Proceedings—grizzly bear habitat symposium; 1985 April 30-May 2. Missoula, MT. Gen. Tech. Rep. INT-207. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station: 180-184.
- Brayshaw, T. C. 1965. Comments on field identification of whitebark and limber pines based upon needle resin canals. Journal of Forestry. 63: 705-706.
- Bright, Donald E., Jr. 1968. Three new species of *Pityophthorus* from Canada (Coleoptera: Scolytidae). Canadian Entomologist. 100: 604-608.
- Britton, N. L.; Shafer, J. A. 1908. North American trees. American Nature Series Group 1. Classification of nature. New York: Henry Holt. 894 p.
- Brown, D. H. 1969. Aerial application of antibiotic solutions to whitebark pine infected with *Cronartium ribicola Tuberculina maxima*. Plant Disease Reporter. 53(6): 487-489. [50117414]
- Brown, D. H.; Dooling, O. J. 1968. Helicopter application of phytoactin antibiotic to whitebark pine: abstract *Cronartium ribicola*. Phytopathology. 58(8): 1045. [05004143]

- Brown, J. K. 1978. Weight and density of crowns of Rocky Mountain conifers. Res. Pap. INT-197. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station. 56 p. [15023042]
- Burns, J. E. 1986. Managing political habitat for grizzly bear recovery. In: Contreras, G. P.; Evans, K. E., compilers. Proceedings—grizzly bear habitat symposium; 1985 April 30-May 2; Missoula, MT. Gen. Tech. Rep. INT-207. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station: 2-13.
- Carlson, C. E. 1978. Noneffectiveness of *Ribes* eradication as a control of white pine blister rust in Yellowstone National Park. For. Insect and Dis. Manage. Rep. 78-18. Missoula, MT: U.S. Department of Agriculture, Forest Service, Northern Region. 6 p.
- Carlson, C. E.; Dewey, J. E. 1971. Environmental pollution by fluorides in Flathead National Forest and Glacier National Park. Missoula, MT: U.S. Department of Agriculture, Forest Service, Division of State and Private Forestry, Forest Insect and Disease Branch. 57 p.
- Carr, M. E.; Bagby, M. O.; Roth, W. B. 1986. High oil-producing and polyphenol-producing species of the northwest USA. Journal of American Oil Chemists Society. 63(11): 1460-1464. [83042428]
- Childs, T. W.; Bedwell, J. L. 1948. Susceptibility of some white pine species to *Cronartium ribicola* in the Pacific Northwest. Journal of Forestry. 46: 595-599.
- Childs, T. W.; Bedwell, J. L.; Englerth, G. H. 1938. Blister rust infection on *Pinus albicaulis* in the Northwest. Plant Disease Reporter. 22(8): 139-140.
- Ciesla, W. M.; Furniss, M. M. 1975. Idaho's haunted forest. American Forests. 81(8): 32-35.
- Clague, J. J.; Mathewes, R. W. 1989. Early Holocene thermal maximum in western North America: new evidence from Castle Peak, British Columbia. Geology. 17: 277-280.
- Clausen, J. 1965. Population studies of alpine and sub-alpine races of conifers and willows in the California High Sierra Nevada. Evolution. 19(1): 56-68.
- Cohen, S.; Miller, D. 1978. The big burn—the Northwest's forest fire of 1910. Missoula, MT: Pictorial Histories Publishing Company. 88 p.
- Cole, D. N. 1981. Vegetational changes associated with recreational use and fire suppression in the Eagle Cap Wilderness, Oregon: some management implications. Biological Conservation. 20(4): 247-270.
- Cole, D. N. 1982. Vegetation of two drainages in Eagle Cap Wilderness, Wallowa Mountains, Oregon. Res. Pap. INT-288. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station. 42 p.
- Coulter, J. M.; Rose, J. N. 1886. Synopsis of North American pines, based upon leaf-anatomy. Botanical Gazette. 11: 256-262.
- Craighead, J. J.; Mitchell, J. A. 1982. Grizzly bear. In: Chapman, J. A.; Feldhamer, G. A., eds. Wild mammals of North America. Baltimore, MD: The Johns Hopkins University Press: 515-556.
- Craighead, J. J.; Scaggs, G. B.; Sumner, J. S. 1982. A definitive system for analysis of grizzly bear habitat and other wilderness resources. Wildlands Inst. Monogr. 1. Missoula, MT: University of Montana. 279 p.
- Crane, M. F.; Fischer, W. C. 1986. Fire ecology of the forest habitat types of central Idaho. Gen. Tech. Rep. INT-218. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 86 p.
- Critchfield, W. B. 1986. Hybridization and classification of the white pines (*Pinus* section *Strobus*). Taxonomy. 35(4): 647-656.
- Critchfield, W. B.; Allenbaugh, G. A. 1969. The distribution of Pinaceae in and near northern Nevada. Madrono. 20: 12-26.
- Critchfield, W. B.; Little, E. L. 1966. Geographic distribution of the pines of the world. Misc. Publ. 991. Washington, DC: U.S. Department of Agriculture, Forest Service. 97 p.
- Dallimore, W.; Jackson, A. B. 1948. A handbook of Coniferae including Ginkgoaceae. 3d ed. London: Edward Arnold and Co. 682 p.
- Daubenmire, R. 1953. Nutrient content of leaf litter of trees in the Northern Rocky Mountains. Ecology. 34: 786-793.
- Daubenmire, R.; Daubenmire, J. B. 1968. Forest vegetation of eastern Washington and northern Idaho. Tech. Bull. 60. Pullman, WA: Washington Agriculture Experiment Station. 104 p.
- Davidson, A. T. 1966. White pine blister rust in British Columbia. In: Proceedings, third western white pine blister rust conference. Mimeo. Portland, OR: 9-22.
- Day, R. J. 1965. The development and structure of the Rocky Mountain forest. Unpublished Mimeo 65-A-3. Ottawa, ON: Canada Department of Forestry. 19 p.
- Day, R. J. 1967. Whitebark pine in the Rocky Mountains of Alberta. Forestry Chronicle. 43: 278-282.
- Deutschman, G. H. 1973. Mapping of habitat types throughout a national forest. Gen. Tech. Rep. INT-11. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station: 1-14. [10065405]
- del Moral, R. 1979. High elevation vegetation of the Enchantment Lakes Basin, Washington. Canadian Journal of Botany. 57(10): 1111-1130.
- Despain, D. G. 1983. Nonpyrogenous climax lodgepole pine communities in Yellowstone National Park. Ecology. 64(2): 231-234.
- Despain, D. G. 1986. Habitat type and cover type as a base for grizzly bear habitat mapping and evaluation. In: Contreras, G. P.; Evans, K. E., compilers. Proceedings—grizzly bear habitat symposium; 1985 April 30-May 2; Missoula, MT. Gen. Tech. Rep. INT-207. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station: 230-233.
- Detwiler, S. B. 1933. General aspects of the white pine situation. Journal of Forestry. 31: 514-521.
- Dimitrov, E. T.; Pazarov, E. 1979. Mathematical models for the dependence of the available wood in a tree trunk on the height of a tree in some local experimental tables for tall tree species. [Bulgarian]. Gorskostop Nauka. 16(2): 23-33. [71066279]

- Dooling, O. J. 1974. Evolution of pruning to reduce impact of white pine blister rust on selected areas in Yellowstone National Park. 74-19. Missoula, MT: U.S. Department of Agriculture, Forest Service, Northern Region, Division of State and Private Forestry. 5 p.
- Dunwiddle, P. W. 1977. Recent tree invasion of subalpine meadows in the Wind River Mountains, Wyoming. *Arctic and Alpine Research*. 9(4): 393-399.
- Eggers, D. E. 1986. Management of whitebark pine as potential grizzly bear habitat. In: Contreras, G. P.; Evans, K. E., compilers. Proceedings—grizzly bear habitat symposium; 1985 April 30-May 2; Missoula, MT. Gen. Tech. Rep. INT-207. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station: 170-175.
- Elias, T. S. 1987. The complete trees of North America. New York: Gramercy Publishing Company. 948 p.
- Engelmann, G. 1863. *Pinus albicaulis* Engelm. Transactions of the Academy of St. Louis. 2: 209.
- Engelmann, G.; Sargent, Parry. 1882. Notes on western conifers. *Botanical Gazette*. 7: 4-5.
- Ericson, J. E. 1964. Field identification of whitebark and limber pines based on needle resin canals. *Journal of Forestry*. 62: 576-577.
- Ericson, J. E. 1964. Identification of *Pinus flexilis* James and *Pinus albicaulis* Engelm. Proceedings, Montana Academy of Science. 24: 7-10.
- Evenden, J. C. 1933. Host selection in relation to the control of bark beetles. Coeur d'Alene, ID: U.S. Department of Agriculture, Entomology, Forest Insect Lab.; unpublished report. 13 p.
- Evenden, J. C.; Bedard, W. D.; Struble, G. R. 1943. The mountain pine beetle, an important enemy of western pines. Circ. 664. Washington, DC: U.S. Department of Agriculture. 25 p.
- Eversman, S. 1985. Distribution of epiphytic lichens on three species in Yellowstone National Park. In: Annual meeting of the botanical society of America; 1985 August 11-15; Gainesville, FL. *American Journal of Botany*. 72(6): 793. [29107552]
- Eyre, F. H. ed. 1980. Forest cover types of the United States and Canada. Washington, DC: Society of American Foresters. 148 p.
- Finley, R. B., Jr. 1969. Cone caches and middens of *Tamiasciurus* in the Rocky Mountain region. Misc. Publ. 51. In: Contributions in mammalogy. Lawrence, KS: University of Kansas, Museum of Natural History: 233-274.
- Fischer, W. C.; Clayton, B. D. 1983. Fire ecology of Montana forest habitat types east of the Continental Divide. Gen. Tech. Rep. INT-141. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station. 83 p.
- Fisher, R. M.; Myres, M. T. 1980. A review of factors influencing extralimital occurrences of Clark's nutcracker *Nucifraga columbiana* in Canada. *Canadian Field-Naturalist*. 94(1): 43-51. [70021891]
- Forcella, F. 1977. Flora, chorology, biomass and productivity of the *Pinus albicaulis-Vaccinium scoparium* association. Bozeman, MT: Montana State University. 99 p. Thesis.
- Forcella, F. 1978. Flora and chorology of the *Pinus albicaulis-Vaccinium scoparium* association. *Madrono*. 25: 139-150. [67021012]
- Forcella, F.; Weaver, T. 1980. Food production in the *Pinus albicaulis-Vaccinium scoparium* association. Proceedings, Montana Academy of Sciences. 39: 73-80.
- Forcella, F.; Weaver, T. 1977. Biomass and productivity of the subalpine *Pinus albicaulis-Vaccinium scoparium* association in Montana. *Vegetatio*. 33: 95-106. [65020165]
- Franklin, J. F.; Dyrness, C. T. 1973. Natural vegetation of Oregon and Washington. Gen. Tech. Rep. PNW-8. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 417 p.
- Funk, A. 1985. Foliar fungi of western trees. Victoria, BC: Canadian Forestry Service, Pacific Forest Research Centre. 159 p.
- Furnier, G. R.; Knowles, P.; Aleksasuk, M. A.; Dancik, B. P. 1986. Inheritance and linkage of allozymes in seed tissue of whitebark pine *Pinus albicaulis*. *Canadian Journal of Genetics and Cytology*. 28(4): 601-604. [82102338]
- Furnier, G. R.; Knowles, P.; Clyde, M. A.; Dancik, B. P. 1987. Effects of avian seed dispersal on the genetic structure of whitebark pine populations. *Evolution*. 41(3): 607-612. [84046257]
- Furniss, R. L.; Carolin, V. M. 1977. Western forest insects. Misc. Publ. 1339. Washington, DC: U.S. Department of Agriculture, Forest Service. 654 p.
- Gennett, J. A.; Baker, R. G. 1986. A late quaternary pollen sequence from Blacktail Pond, Yellowstone National Park, Wyoming USA. *Palynology*. 10(0): 61-72. [84038771]
- Ghouse, A. K. M. 1973. Variation in transfusion tissue in pines. *Bulletin of the Torrey Botanical Club*. 100(3): 151-152. [57035802]
- Gifford, D. J. 1988. An electrophoretic analysis of the seed proteins from *Pinus monticola* and eight other species of pine. *Canadian Journal of Botany*. 66(9): 1808-1812.
- Giuntoli, M.; Mewaldt, L. R. 1978. Stomach contents of Clark's nutcracker in western Montana. *Auk*. 95: 595-598.
- Goward, T. 1985. *Ahtiana*-new genus in the Parmeliaceae. *Bryologist*. 88(4): 367-371. [83021077]
- Graber, D. M.; White, M. 1983. Black bear food habits in Yosemite National Park. *International Conference on Bear Research and Management*. 5: 1-10.
- Griffin, J. B.; Critchfield, W. B. 1972. The distribution of forest trees in California. Res. Pap. PSW-82. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 114 p.
- Grinnell, J.; Storer, T. I. 1924. Animal life in the Yosemite. Berkeley, CA: University of California Press. 752 p.
- Gruell, G. E. 1980. Fire's influence on wildlife habitat on the Bridger-Teton National Forest, Wyoming. Volume 1—photographic record and analysis. Res. Pap. INT-235. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station. 207 p.

- Gynn, J. C.; Chapman, C. M. 1948. Blister rust control, Glacier National Park, 1948. In: White pine blister rust control in the Northwest Region. Spokane, WA: U.S. Department of Agriculture, Bureau of Entomology and Plant Quarantine, Division of Plant Disease Control: 80-85.
- Gynn, J. C.; Chapman, C. M. 1949. Spread of white pine blister rust. In: White pine blister rust control in the Northwest Region. Spokane, WA: U.S. Department of Agriculture, Bureau of Entomology and Plant Quarantine, Division of Plant Disease Control: 87-88.
- Gynn, J. C.; Chapman, C. M. 1950. Blister rust control, Yellowstone National Park, 1950. In: White pine blister rust control in the Northwest Region. Spokane, WA: U.S. Department of Agriculture, Bureau of Entomology and Plant Quarantine, Division of Plant Disease Control: 92-94.
- Gynn, J. C.; Chapman, C. M. 1951. Blister rust control, Mount Rainier National Park, 1951. In: White pine blister rust control in the Northwest Region. Spokane, WA: U.S. Department of Agriculture, Bureau of Entomology and Plant Quarantine, Division of Plant Disease Control: 64-66.
- Gynn, J. C.; Chapman, C. M. 1951. Blister rust control, Yellowstone National Park, 1951. In: White pine blister rust control in the Northwest Region. Spokane, WA: U.S. Department of Agriculture, Bureau of Entomology and Plant Quarantine, Division of Plant Disease Control: 70-73.
- Gynn, J. C.; Chapman, C. M. 1951. Spread of white pine blister rust, scouting in Montana, Wyoming, Idaho, Colorado, 1951. In: White pine blister rust control in the Northwest Region. Spokane, WA: U.S. Department of Agriculture, Bureau of Entomology and Plant Quarantine, Division of Plant Disease Control: 15-16.
- Gynn, J. C.; Chapman, C. M. 1952. Blister rust control, Glacier National Park, 1952. In: White pine blister rust control in the Northwest Region. Spokane, WA: U.S. Department of Agriculture, Bureau of Entomology and Plant Quarantine, Division of Plant Disease Control: 57-60.
- Gynn, J. C.; Chapman, C. M. 1952. Blister rust control, Mount Rainier National Park, 1952. In: White pine blister rust control in the Northwest Region. Spokane, WA: U.S. Department of Agriculture, Bureau of Entomology and Plant Quarantine, Division of Plant Disease Control: 54-56.
- Gynn, J. C.; Chapman, C. M. 1954. White pine blister rust control, national parks. Annual Report. White pine blister rust control. Missoula, MT: U.S. Department of Agriculture, Forest Service, Region One: 41-53.
- Habeck, J. R. 1969. A gradient analysis of a timberline zone at Logan Pass, Glacier Park, Montana. Northwest Science. 43: 65-73.
- Hagle, S. K.; Tunnock, S.; Gibson, K. E.; Gilligan, C. J. 1987. Field guide to diseases and insect pests of Idaho and Montana forests. Missoula, MT: U.S. Department of Agriculture, Forest Service, Northern Region, State and Private Forestry. 123 p.
- Hahn, G. G. 1931. Pathological and mycological notes on fungi observed on white pine. In: Proceedings, 17th annual blister rust conference; 1931 October 29-31; Lakeville, CT: 49-51.
- Hahn, G. G.; Ayers, T. T. 1934. *Dasyscyphae* on conifers in North America. III. *Dasyscypha pini*. Mycologia. 26: 479-502.
- Hall, J. P. 1977. Survival and growth of exotic *Pinus* species in central Newfoundland ten years after planting. Inf. Rep. N-X-154. Newfoundland Forest Research Centre, Canada. 12 p.
- Halverson, C. H. 1985. Influence of vertebrates on conifer seed production. In: Shearer, Raymond C., compiler. Proceedings—conifer tree seed in the Inland Mountain West Symposium. 1985 August 5-6; Missoula, MT. Gen. Tech. Rep. INT-203. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station: 201-222.
- Hammon, F. M. 1983. Food habits of black bears in the Greys River drainage, Wyoming. Laramie, WY: University of Wyoming and Wyoming Game and Fish Department. 50 p.
- Harlow, W. M. 1931. The identification of the pines of the United States, native and introduced by needle structure. Tech. Pub. 32. Syracuse, NY: New York State College of Forestry. 21 p.
- Harlow, W. M.; Harrar, E. S. 1958. Textbook of dendrology. New York: McGraw-Hill. 555 p.
- Harlow, W. M.; Harrar, E. S.; White, F. M. 1979. Textbook of dendrology. 6th ed. New York: McGraw-Hill. 510 p.
- Harvey, A. E.; Graham, S. O.; Becker, L. D.; Brown, D. H. 1966. Translocation and persistence of the antibiotic phytoactin in *Pinus albicaulis*. Phytopathology. 62: 148.
- Harvey, A. E.; Grasham, J. L. 1970. Susceptibility of cultured tissues from *Pinus albicaulis*, *Pinus flexilis*, and *Pseudotsuga menziesii* to invasion by *Cronartium ribicola*. Phytopathology. 60(11): 1534. [07015150]
- Hawksworth, F. G.; Wiens, D. 1972. Biology and classification of dwarf mistletoes (*Arceuthobium*). Agric. Handb. 401. Washington, DC: U.S. Department of Agriculture, Forest Service. 234 p.
- Helgath, S. F. 1975. Trail deterioration in the Selway-Bitterroot Wilderness. Res. Note INT-193. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station. 15 p.
- Heller, H. C. 1971. Altitudinal zonation of chipmunks (*Eutamias*): interspecific aggression. Ecology. 52(2): 312-319.
- Hendrickson, W. H.; Lotan, J. E. 1971. Identification of whitebark and limber pines based on needle resin ducts. Journal of Forestry. 69(9): 584. [08012290]
- Hepting, George H. 1971. Diseases of forest and shade trees of the United States. Agric. Handb. 386. Washington, DC: U.S. Department of Agriculture, Forest Service: 288-290.
- Hicks, L. L. 1985. Multiple-use on western private industrial timberlands. In: Sabol, K., ed. Transactions of the fiftieth American wildlife and natural resources conference: taking stock: resource management in the 50th year; 1985 March 15-20; Washington, DC. Wildlife Management Institute: 211-214. [30074706]
- Hillis, M. 1986. Enhancing grizzly bear habitat through timber harvesting. In: Contreras, G. P.; Evans, K. E., compilers. Proceedings—grizzly bear habitat symposium; 1985 April 30-May 2; Missoula, MT. Gen. Tech.

- Rep. INT-207. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station: 176-179.
- Hiratsuka, Y.; Funk, A. 1976. Additional records of *Gremmeniella abietina* in western Canada. *Plant Disease Reporter*. 60(7): 631.
- Hiratsuka, Y.; Maruyama, P. J. 1976. *Castilleja miniata*, a new alternate host of *Cronartium ribicola*. *Plant Disease Reporter*. 60(3): 241. [62016479]
- Hitchcock, C. L.; Cronquist, A.; Ownbey, M.; Thompson, J. W. 1969. *Vascular plants of the Pacific Northwest. Part 1.* Seattle, WA: University of Washington Press. 914 p.
- Hobbs, S. D.; Partridge, A. D. 1979. Wood decays, root rots, and stand composition along an elevation gradient. *Forest Science*. 25(1): 31-42.
- Hoff, R. J. 1980. [Personal files regarding blister rust resistance of whitebark pine]. U.S. Department of Agriculture, Forest Service, Forestry Sciences Laboratory, Moscow, ID.
- Hoff, R. J.; Bingham, R. T.; McDonald, G. I. 1980. Relative blister rust resistance of white pines. *European Journal of Forest Pathology*. 10: 307-316. [71012685]
- Hoff, R. J.; McDonald, G. I. 1977. Differential susceptibility of 19 white pine species to woolly aphid *Pineus coloradensis*. Res. Note INT-225. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station. 6 p. [14011004]
- Holland, S. S. 1964. Landforms of British Columbia—a physiographic outline. Bull. 48. Victoria, BC: British Columbia Department of Mine and Petroleum Resources. 138 p.
- Holland, W. D.; Coen, G. M., eds. 1983. Ecological (biophysical) land classification of Banff and Jasper National Parks. Vol. 1: Summary. Publ. M-83-2. Vol. 2: Soil and vegetation resources. Publ. SS-82-44. Alberta Institute of Pedology.
- Holmes, G. D.; Kuszewicz, G. 1958. The storage of seed of temperate forest tree species. Part II. *Forestry Abstracts*. 19: 455-476.
- Holzer, Kurt. 1975. Genetics of *Pinus cembra*. *Annales Forestales*. 6(5): 139-158.
- Hopkins, W. E. 1979. Plant associations of the Fremont National Forest. Publ. Ecol. 79-004. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Region. 106 p.
- Hottes, F. C. 1958. A new species of *Essigella* from Oregon (Aphidae). *Proceedings; Biology Society, Washington*. 71: 155-156. [35605]
- Hunt, R. S. 1981. Pine needle casts and blights in the Pacific Region. For. Pest Leaflet. 43. Victoria, BC: Canadian Forestry Service, Pacific Forest Research Centre. 7 p.
- Hunt, R. S.; Ziller, W. G. 1978. Host-genus keys to the Hypodermataceae of conifer leaves. *Mycotaxon*. 6: 481-496.
- Hutchins, H. E.; Lanner, R. M. 1982. The central role of Clark's nutcracker in the dispersal and establishment of whitebark pine. *Oecologia*. 55: 192-201. [75079057]
- Jackson, M. T.; Faller, A. 1973. Structural analysis and dynamics of the plant communities of Wizard Island, Crater Lake National Park. *Ecological Monographs*. 43: 441-461. [57036499]
- Jacobs, J. 1989. Temperature and light effects on seedling performance of *Pinus albicaulis*. Bozeman, MT: Montana State University. 39 p. Thesis.
- Johnson, L. 1981. [Unpublished observation]. Albuquerque, NM: U.S. Department of Agriculture, Forest Service, Southwestern Region.
- Jonkel, C. J. 1967. The ecology, population dynamics, and management of the black bear in the spruce-fir forests of northwestern Montana. Vancouver, BC: University of British Columbia. 170 p. Dissertation.
- Jonkel, C. J.; Cowan, I. M. 1971. The black bear in the spruce-fir forest. *Wildlife Monographs* 27. 55 p.
- Kalgutkar, R. M. 1973. Observations on identification of *Pinus albicaulis* Engelm. and *Pinus flexilis* James based on needle resin canals. *Canadian Journal of Forest Research*. 3(4): 580-582. [57053286]
- Kalgutkar, R. M.; Bird, C. D. 1969. Lichens found on *Larix lyallii* and *Pinus albicaulis* in southwestern Alberta, Canada. *Canadian Journal of Botany*. 47(5): 627-648. [51016293]
- Kasper, J. B.; Szabo, T. 1970. The physical and mechanical properties of whitebark pine. *Forestry Chronicle*. 46: 315-316. [52013876]
- Keane, R. E.; Arno, S. F.; Brown, J. K. 1989. FIRESUM—an ecological process model for fire succession in western conifer forests. Gen. Tech. Rep. INT-266. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 76 p.
- Keane, R. E.; Arno, S. F.; Brown, J. K.; Tomback, D. F. [In preparation]. Modeling stand dynamics in whitebark pine forests. [Manuscript submitted to Ecological Modelling].
- Kearney, M. S.; Luckman, B. H. 1983. Postglacial vegetation history of Tonquin Pass, British Columbia. *Canadian Journal of Earth Sciences*. 20: 776-786.
- Keenan, F. J.; Glavicic, M. R.; Swindle, P. W.; Cooper, P. A. 1970. Mechanical properties of whitebark pine. *Forestry Chronicle*. 46(4): 322-325. [52013885]
- Kellogg, R. M.; Rowe, S.; Koeppen, R. C.; Miller, R. B. 1982. Identification of the wood of the soft pines of western North America. *IAWA Bulletin*. 3(2): 95-101. [75023914]
- Kendall, K. C. 1980a. Bear-squirrel-pine nut interaction: 1978-1979. In: *Yellowstone grizzly bear investigations. Annual Report 1978-79.* Bozeman, MT: U.S. Department of the Interior, National Park Service: 51-60.
- Kendall, K. C. 1980b. Food habits of Yellowstone grizzly bears: 1978-1979. In: *Yellowstone grizzly bear investigations. Annual Report 1978-79.* Bozeman, MT: U.S. Department of the Interior, National Park Service: 24-34.
- Kendall, K. C. 1981. Bear use of pine nuts. Bozeman, MT: Montana State University. 27 p. Thesis.
- Kendall, K. C. 1983. Use of pine nuts by grizzly and black bears in the Yellowstone area. *International Conference on Bear Research and Management. Madison, WI: International Bears Association*. 5: 166-173.
- Kilgore, B. N. 1971. The role of fire in managing red fir forests. In: *Transactions of the 36th North American Wildland and Natural Resources Conference; Symposium.* Washington, DC: Wildlife Management Institute: 405-416. [08019271]

- Klikoff, L. G. 1965. Microenvironmental influence on vegetational pattern near timberline in the central Sierra Nevada. *Ecological Monographs*. 35(2): 187-211.
- Klock, G. O.; Helvey, J. D. 1976. Soil water trends following wildfire on the Entiat Experimental Forest. *Proceedings: Tall Timbers Fire Ecology Conference*. 15: 193-200. [13045746]
- Knight, R. R.; Basile, J.; Greer, K.; Judd, S.; Oldenburg, L.; Roop, L. 1977. Yellowstone grizzly bear investigations. Annual report of the interagency study team, 1977. Bozeman, MT: U.S. Department of the Interior, National Park Service. 107 p.
- Knight, R. R.; Blanchard, B. M. 1982. Yellowstone grizzly bear investigations. Report of the interagency study team, 1982. Bozeman, MT: U.S. Department of the Interior, National Park Service. 45 p.
- Knight, R. R.; Blanchard, B. M.; Kendall, K. C. 1980. Yellowstone grizzly bear investigations. Report of the interagency study team, 1980. Bozeman, MT: U.S. Department of the Interior, National Park Service. 55 p.
- Knight, R. R.; Blanchard, B. M.; Kendall, K. C. 1981. Yellowstone grizzly bear investigations. Report of the interagency study team, 1981. Bozeman, MT: U.S. Department of the Interior, National Park Service. 70 p.
- Knight, R. R.; Blanchard, B. M.; Kendall, K. C.; Oldenburg, L., eds. 1980. Yellowstone grizzly bear investigations. Report of the interagency study team, 1978 and 1979. Bozeman, MT: U.S. Department of the Interior, National Park Service. 91 p.
- Knight, R. R.; Blanchard, B. M.; Mattson, D. J. 1984. Yellowstone grizzly bear investigations. Report of the interagency study team, 1983 and 1984. Bozeman, MT: U.S. Department of the Interior, National Park Service. 82 p.
- Knight, R. R.; Blanchard, B. M.; Mattson, D. J. 1985. Yellowstone grizzly bear investigations. Report of the interagency study team, 1985. Bozeman, MT: U.S. Department of the Interior, National Park Service. 58 p.
- Knight, R. R.; Blanchard, B. M.; Mattson, D. J. 1986. Yellowstone grizzly bear investigations. Report of the interagency study team, 1986. Bozeman, MT: U.S. Department of the Interior, National Park Service. 82 p.
- Knight, R. R.; Blanchard, B. M.; Mattson, D. J. 1987. Yellowstone grizzly bear investigations. Report of the interagency study team, 1987. Bozeman, MT: U.S. Department of the Interior, National Park Service. 80 p.
- Knutson, D. M.; Tinnin, R. O. 1981. *Arceuthobium cyanocarpum* (limber pine dwarf mistletoe) in Oregon. *Plant Disease*. 65(5): 445. [72069355]
- Krajina, V. J. 1965. Ecology of western North America. Vol. 1. Vancouver, BC: University of British Columbia. 112 p.
- Krajina, V. J. 1969. Ecology of forest trees in British Columbia. In: *Ecology of western North America*. Vol. 2, No. 1. Vancouver, BC: University of British Columbia. 147 p.
- Krajina, V. J.; Klinka, K.; Worrall, J. 1982. Distribution and ecological characteristics of trees and shrubs of British Columbia. Victoria, BC: Faculty of Forestry, University of British Columbia. 131 p.
- Krebill, Richard G. 1986. Whitebark pine and the 4 B's: blister rust, bark beetles, burning, and bears. In: *Proceedings, 34th Annual Western International Forest Disease Work Conference; 1986 September 9-12; Juneau, AK*. 31 p.
- Krugman, S. L.; Jenkinson, J. L. 1974. *Pinus* L. Pine. In: Schopmeyer, C. S., ed. *Seeds of woody plants in the United States*. Agric. Handb. 450. Washington, DC: U.S. Department of Agriculture, Forest Service: 598-638.
- Kuprianova, L. A.; Litvintseva, M. V. 1974. The group *cembra* of the genus *Pinus*, its volume and relationships according to palynological data. *Bot. ZH (Leningr)*. 59(5): 630-644. [60047544]
- Lachmund, H. G. 1926. Western blister rust investigations, 1926. In: *Proceedings, western white pine blister rust conference*. Mimeo. Portland, OR: 12-19.
- Lanner, R. M. 1980. Avian seed dispersal as a factor in the ecology and evolution of limber and whitebark pines. In: *Sixth North American forest biology workshop proceedings; 1980 August; Edmonton, AB*. Edmonton, AB: University of Alberta: 14-48.
- Lanner, R. M. 1982. Adaptations of whitebark pine for seed dispersal by Clark's nutcracker. *Canadian Journal of Forest Research*. 12(2): 391-402. [75017230]
- Lanner, R. M. 1985. Made for each other: Clark's nutcracker and whitebark pine. *California Academy of Sciences*. 38(3): 31-35.
- Lanner, R. M. 1988. Dependence of Great Basin bristlecone pine on Clark's nutcracker for regeneration at high elevations. *Arctic and Alpine Research*. 20(3): 358-362.
- Lanner, R. M.; Vander Wall, S. B. 1980. Dispersal of limber pine seed by Clark's nutcracker. *Journal of Forestry*. 78(10): 637-639.
- Layser, E. 1980. *Flora of Pend Oreille County, Washington*. Pullman, WA: Washington State University, Cooperative Extension. 144 p.
- Leadem, C. L. 1985. Seed dormancy in three *Pinus* species of the Inland Mountain West. In: Shearer, R. C., compiler. *Proceedings—conifer tree seed in the Inland Mountain West; 1985 August 5-6; Missoula, MT*. Gen. Tech. Rep. INT-203. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station: 117-124.
- Leiberg, J. B. 1897. General report on a botanical survey of the Coeur d'Alene Mountains in Idaho during the summer of 1895. U.S. National Museum Contribution. Washington, DC: U.S. National Herbarium. 5: 5-85.
- Leiberg, J. B. 1900a. Range and Ashland Forest reserves and adjacent regions. U.S. Geological survey 21st Annual Report. V: 219-498.
- Leiberg, J. B. 1900b. Sandpoint quadrangle, Idaho. U.S. Geological survey 21st Annual Report. V: 583-595.
- Leiberg, J. B. 1904a. Forest conditions in the Absaroka Division of the Yellowstone Forest Reserve, Montana, and the Livingston and Big Timber quadrangles. U.S. Geological Survey Professional Paper 29. 148 p.
- Leiberg, J. B. 1904b. Forest conditions in the Little Belt Mountains Forest Reserve, Montana, and the Little Belt Mountains quadrangle. U.S. Geological Survey Professional Paper 30. 75 p.

- Lepper, M. G. 1974. *Pinus flexilis* James and its environmental relationships. Davis, CA: University of California. 197 p. Dissertation.
- Lindstedt, Gosta. 1950. Constituents of pine heartwood. XXIII. Isolation of dehydropinosylvin monomethyl ether from the heartwood of *Pinus albicaulis* Engelm. Acta Chemica Scandinavica. 4(8): 1246-1249. [29166]
- Linhart, Y. B.; Tomback, D. F. 1985. Seed dispersal by nutcrackers *Nucifraga columbiana* causes multi-trunk growth form in pines. Oecologia (Berl.). 67(1): 107-110. [81002392]
- Little, E. L., Jr. 1971. Atlas of United States trees—volume 1. Conifers and important hardwoods. Misc. Publ. 1146. Washington, DC: U.S. Department of Agriculture, Forest Service. 9 p. + maps.
- Little, E. L., Jr.; Critchfield, W. B. 1969. Subdivisions of the genus *Pinus* (pines). Misc. Publ. 1144. Washington, DC: U.S. Department of Agriculture, Forest Service. 51 p.
- Litvintseva, M. V. 1974. Characteristics of needle parenchymal cell structure in species of the group *cembra* genus *Pinus*. Bot. ZH (Leningr). 59(10): 1501-1505. [60012517]
- Lohman, M. L.; Cash, E. K. 1940. *Atropellis* species from pine cankers in the United States. Journal of the Washington Academy of Science. 30: 255-262.
- Loope, L. L.; Gruell, G. E. 1973. The ecological role of fire in the Jackson Hole area, northwestern Wyoming. Quaternary Research. 3: 425-443.
- Luckman, B. H.; Jozsa, L. A.; Murphy, P. J. 1984. Living seven-hundred-year-old *Picea engelmannii* and *Pinus albicaulis* in the Canadian Rockies. Arctic and Alpine Research. 16(4): 419-422. [79066523]
- Luckman, B. H.; Kearney, M. S. 1986. Reconstruction of Holocene changes in alpine vegetation and climate in the Miligne Range, Jasper National Park, Alberta. Quaternary Research. 26: 244-261.
- Lueck, D. 1980. Ecology of *Pinus albicaulis* on Bachelor Butte, Oregon. Corvallis, OR: Oregon State University. 90 p. Thesis.
- Mace, R. D.; Jonkel, C. J. 1986. Local food habits of the grizzly bear in Montana. International Conference on Bear Research and Management; Grand Canyon, AZ: 6: 105-110.
- Mack, R. N. 1971. Pollen size variation in some western North American pines as related to fossil pollen identification. Northwest Science. 45(4): 257-269. [53062224]
- Mack, R. N.; Bryant, V. M., Jr.; Pell, W. 1978. Modern forest pollen spectra from eastern Washington and northern Idaho. Botanical Gazette. 139(2): 249-255. [66072551]
- Mack, R. N.; Rutter, N. W.; Bryant, V. M., Jr.; Valastro, S. 1978. Reexamination of postglacial vegetation history in northern Idaho: Hager Pond, Bonner County. Quaternary Research. 10(2): 241-255. [67036774]
- Malouf, C. 1969. The coniferous forests and their uses in the Northern Rocky Mountains through 9,000 years of prehistory. In: Coniferous forests of the Northern Rocky Mountains: Proceedings; 1968. Missoula, MT: University of Montana, Center for Natural Resources: 271-280.
- Marcum, C. L. 1979. Summer-fall food habits and forage preferences of a Western Montana elk herd. In: Boyce, M. S.; Hayden-Wing, L. D., eds. North American elk: ecology, behavior, and management. Laramie, WY: University of Wyoming: 54-62.
- Martinson, A. H.; Basko, W. J. 1988. Soil survey of the Flathead National Forest area, Montana [draft]. Kalispell, MT: U.S. Department of Agriculture, Forest Service.
- Mathewes, R. W. 1988. Higher postglacial alpine timberlines in the eastern coast ranges of British Columbia. Botany British Columbia Working Group Newsletter. 3: 5. Abstract.
- Mathewes, R. W.; Clague, J. J. 1989. Early Holocene thermal maximum: new evidence from Castle Peak, British Columbia. Ottawa, ON: Canadian Committee on Climatic Fluctuations and Man. Abstract.
- Mathiasen, R. L.; Hawksworth, F. G. 1988. Dwarf mistletoes on western white pine and whitebark pine in northern California and southern Oregon. Forest Science. 34(2): 429-440. [86073913]
- Mattson, D. J.; Reinhart, D. P. 1987. Grizzly bear, red squirrels, and whitebark pine: third year progress report. In: Yellowstone grizzly bear investigations. Report of the Interagency Study Team, 1987. Bozeman, MT: U.S. Department of the Interior, National Park Service: 36-45.
- McAvoy, B. 1931. Ecological survey of the Bella Coola region. Botanical Gazette. 92: 141-171.
- McCambridge, W. F.; Trostle, G. C. 1970. The mountain pine beetle. For. Pest Leaflet. 2. Washington, DC: U.S. Department of Agriculture, Forest Service. 6 p.
- McCaughy, W. W.; Schmidt, W. C.; Shearer, R. C. 1986. Seed-dispersal characteristics of conifers in the Inland Mountain West. In: Shearer, Raymond C., compiler. Proceedings—conifer tree seed in the Inland Mountain West; 1985 August 5-6; Missoula, MT. Gen. Tech. Rep. INT-203. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station: 50-62.
- McGregor, M. D.; Cole, D. M., eds. 1985. Integrating management strategies for the mountain pine beetle with multiple-resource management of lodgepole pine forests. Gen. Tech. Rep. INT-174. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station. 68 p.
- McHugh, P. 1974. A numerical taxonomic study of some North American *Pinus* spp. Proceedings; Indiana Academy of Science. 83: 397. [11076223]
- McKey, D. 1975. The ecology of coevolved seed dispersal systems. In: Gilbert, L. E.; Raven, P. H., eds. Coevolution of animals and plants. Austin, TX: University of Texas Press. 28 p.
- Mealey, S. P. 1975. The natural food habits of free ranging grizzly bears in Yellowstone Park, 1973-1974. Bozeman, MT: Montana State University. 85 p. Thesis.
- Mealey, S. P. 1980. The natural food habits of grizzly bears in Yellowstone National Park 1973-1974. In: International conference of bear research and management; Kalispell, MT. Madison, WI: International Bear Association: 4: 281-292.

- Mehring, P. J., Jr. 1985. Late-quaternary pollen records from the interior Pacific Northwest and Northern Great Basin of the United States. In: Bryant, V. M., Jr.; Holloway, R. G., eds. Pollen records of late-quaternary North American sediments. Dallas, TX: American Association of Stratigraphic Palynologists Foundation: 167-189.
- Mehring, P. F., Jr.; Arno, S.; Petersen, K. 1977. Post-glacial history of Lost Trail Pass Bog, Bitterroot Mountains, Montana. *Arctic and Alpine Research*. 9(4): 345-368. [65066491]
- Mielke, J. L. 1936. Dates of production of the different spore stages of *Cronartium ribicola* in the Pacific Northwest. *Phytopathology*. 25: 1104-1108.
- Minore, D. 1979. Comparative autecological characteristics of northwestern tree species—a literature review. Gen. Tech. Rep. PNW-87. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 72 p.
- Mirov, N. T. 1946. Viability of pine seed after prolonged cold storage. *Journal of Forestry*. 44(3): 193-195.
- Mirov, N. T. 1961. Composition of gum turpentine of pine. Tech. Bull. 1239. Washington, DC: U.S. Department of Agriculture, Forest Service. 158 p.
- Mirov, N. T. 1967. The genus *Pinus*. New York: The Ronald Press. 602 p.
- Moeur, M. 1981. Crown width and foliage weight of Northern Rocky Mountain conifers. Res. Pap. INT-283. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station. 14 p.
- Moss, E. H. 1959. The flora of Alberta. Toronto, ON: University of Toronto Press. 546 p.
- Muir, N. 1977. Whitebark pine (*Pinus albicaulis*) fir gardens. *Gardeners Chronicle/Horticulture Trade Journal*. 182(15): 33.
- Nance, N. W. 1939. Diseases of plants in the U.S. in 1938. *Plant Disease Reporter Supplement*. 119: 119-289.
- Ogilvie, R. T. 1969. Vegetation zonation in the Rocky Mountains of Alberta, Canada. In: The XI International Botanical Congress and the International Wood Chemistry Symposium; Seattle, WA: 162. [05082001]
- Parker, D. L. 1973. Trends of mountain pine beetle outbreaks in mixed stands of preferred hosts. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Region, Timber Management, Forest Insect and Disease Prevention and Control; Office Report. 8 p.
- Pencic, M. 1986. Current problems in the agricultural research in Yugoslavia. *Savrem Poljopr.* 34(1/2): 5-16. [42428]
- Peterson, D. L.; Arbaugh, M. J.; Lardner, M. A. Leaf area of lodgepole pine and whitebark pine in a subalpine Sierra Nevada forest. *Canadian Journal of Forest Research*. 19(3): 401-403.
- Pfister, R. D.; Kovalchik, B. L.; Arno, S.; Presby, R. 1977. Forest habitat types of Montana. Gen. Tech. Rep. INT-34. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station. 174 p. [13089165]
- Picton, H. D. 1978. Climate and reproduction of grizzly bears in Yellowstone National Park. *Nature*. 274(5674): 888-889.
- Picton, H. D.; Mattson, D. M.; Blanchard, B. M.; Knight, R. R. 1986. Climate, carrying capacity, and the Yellowstone grizzly bear. In: Contreras, G. P.; Evans, K. E., compilers. Proceedings—grizzly bear habitat symposium; 1985 April 30-May 2; Missoula, MT. Gen. Tech. Rep. INT-207. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station: 129-135.
- Pitel, J. A. 1981. Improved germination of whitebark pine (*Pinus albicaulis* Engelm.) seeds. Chalk River, ON: Canadian Forestry Service, Petawawa National Forestry Institute; unpublished report. 5 p.
- Pitel, J. A.; Wang, B. S. P. 1980. A preliminary study of dormancy in *Pinus albicaulis* seeds. *Bi-Monthly Research Notes*. 36(1): 4-5. [19035209]
- Plesnik, P. 1973. Some problems of the timberline in the Rocky Mountains compared with central Europe. *Arctic and Alpine Research*. 5(3 Pt. 2): A77-A84. [10060435]
- Pojar, J. 1978. Vegetation of ecological reserve proposal No. 306, Nanika Lake. Victoria, BC: Ministry of Environment, Ecological Reserves Unit; unpublished paper.
- Putnam, H. N. 1928. Scouting for blister rust in Washington, 1928. In: Blister rust work in the far West. Spokane, WA: Spokane Branch Office, Blister Rust Control: 119-203.
- Reasoner, M. A.; Hickman, M. [In press]. Late quaternary environmental change in the Lake O'Hara region, Yoho National Park, British Columbia. *Palaeogeography, Palaeoclimatology, Palaeoecology*.
- Reed, R. M. 1976. Coniferous forest habitat types of the Wind River Mountains, Wyoming. *American Midland Naturalist*. 95(1): 159-173.
- Rehder, A. 1940. Manual of cultivated trees and shrubs hardy in North America. 2d ed. New York: The Macmillan Co. 996 p.
- Reynolds, F. 1990. Whitebark pine ecosystems: the threats and the challenge. *Forestry Research West*. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, [Rocky Mountain Forest and Range Experiment Station]; January: 5-9.
- Ritchie, J. C. 1987. Postglacial vegetation of Canada. Cambridge, England: Cambridge University Press. 178 p.
- Romme, W. H. 1979. Fire and landscape diversity in subalpine forests of Yellowstone National Park. Laramie, WY: University of Wyoming. 115 p. Dissertation.
- Root, G. A. 1936. B. scouting for blister rust in Oregon and California, 1936. In: Blister rust work in the far West. Spokane, WA: Spokane Branch Office, Blister Rust Control: 229-239.
- Rundel, B. W.; Parsons, D. J.; Gordon, D. T. 1977. Montane and subalpine vegetation of the Sierra and Cascade Ranges. In: Barbour, Michael G.; Major, Jack, eds. *Terrestrial vegetation of California*. New York: John Wiley and Sons: 559-600.
- Rydburg, P. A. 1905. Studies on the Rocky Mountain flora-XV. *Torrey Botanical Club, New York Bulletin*. 32: 597-610.
- Rydburg, P. A. 1922. *Flora of the Rocky Mountains and adjacent plains*. New York: P. A. Rydburg. 1143 p.
- Sargent, C. S. 1905. *Manual of the trees of North America*. Boston and New York: Houghton Mifflin. 826 p.

- Schallenberger, A.; Jonkel, C. J. 1980. Rocky Mountain East Front grizzly studies, 1979. Annual report. Border Grizzly Project Special Rep. No. 39. Missoula, MT: University of Montana. 207 p.
- Schmidt, W. C.; Lotan, J. E. 1980. Phenology of common forest flora of the Northern Rockies—1928-1937. Res. Pap. INT-259. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station. 20 p.
- Schubert, G. H. 1954. Viability of various coniferous seeds after cold storage. *Journal of Forestry*. 52: 446-447.
- Shaw, G. R. 1914. The genus *Pinus*. Arnold Arboretum Publ. 5. Boston: Houghton Mifflin.
- Silen, R. R.; Woike, L. R. 1959. The Wind River Arboretum from 1912 to 1956. Res. Pap. 33. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 50 p.
- Slater, J. 1978. Pinatae distribution in the state of Washington. In: Occas. Pap. 51. Tacoma, WA: University of Puget Sound: Museum of Natural History. 694-709. [67039425]
- Smerlis, E. 1973. Pathogenicity tests of some discomycetes occurring on conifers. *Canadian Journal of Forest Research*. 3: 7-16.
- Smith, Richard S., Jr. 1972. Needle casts of high-altitude white pines in California. *Plant Disease Reporter*. 56: 102-103. [54016257]
- Snethen, K. L. 1980. Whitebark pine (*Pinus albicaulis*) invasion of a subalpine meadow. Logan, UT: Utah State University. Thesis.
- Soegaard, B. F. 1972. Relative blister rust resistance of native and introduced white pine species in Europe. In: *Biology of rust resistance in forest trees*. Misc. Publ. 1221. Washington, DC: U.S. Department of Agriculture, Forest Service: 233-239. [08056186]
- Sowell, J. B.; Koutnik, D. L.; Lansing, A. J. 1982. Cuticular transpiration of whitebark pine (*Pinus albicaulis*) within a Sierra Nevada timberline ecotone, U.S.A. *Arctic and Alpine Research*. 14(2): 97-103. [74086116]
- Spaulding, P. 1923. Foreign studies of white pine blister rust. *Phytopathology*. 13: 45.
- Spaulding, P. 1925. A partial explanation of the relative susceptibility of the white pines to the white pine blister rust. *Phytopathology*. 15: 591-597.
- Staley, J. M. 1964. A survey of coniferous foliage diseases (other than rusts) in Colorado. *Plant Disease Reporter*. 48: 562-563.
- Steele, R.; Cooper, S. V.; Ondov, D. M.; Roberts, D. W.; Pfister, R. D. 1983. Forest habitat types of eastern Idaho-western Wyoming. Gen. Tech. Rep. INT-144. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station. 122 p.
- Steele, R.; Pfister, R. D.; Ryker, R. A.; Kittams, J. A. 1981. Forest habitat types of central Idaho. Gen. Tech. Rep. INT-114. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station. 138 p.
- Steinhoff, R. J. 1972. White pines of western North America and Central America. In: *Biology of rust resistance in forest trees*. Misc. Publ. 1221. Washington, DC: U.S. Department of Agriculture: 215-232. [08056185]
- Stephan, B. R. 1985. Resistance of five-needled pines to blister rust. Zur Blasenrostresisten von fünfnadeligen Kiefernarten *Allgemeine Forstzeitschrift* No. 28: 695-697.
- Sudworth, G. B. 1908. Forest trees of the Pacific slope. Washington, DC: U.S. Department of Agriculture, Forest Service. 455 p.
- Sudworth, G. B. 1967. Forest trees of the Pacific slope. New York: Dover Publications. 455 p.
- Sund, S. K. 1988. Post-fire regeneration of *Pinus albicaulis* in western Montana: patterns of occurrence and site characteristics. Denver, CO: University of Colorado. 63 p. Thesis.
- Sutherland, J. R. 1987. *Sirococcus* blight. In: Sutherland, J. R.; Miller, T.; Quinard, R. S. Cone and seed diseases of North American conifers. North American Forestry Commission Publ. No. 1. Washington, DC: U.S. Department of Agriculture, Forest Service, International Forestry Staff: 34-41.
- Swanson, H. E. 1949. Blister rust control on national parks. In: *White pine blister rust control in the Northwest Region*. Spokane, WA: U.S. Department of Agriculture, Bureau of Entomology and Plant Quarantine, Division of Plant Disease Control: 13-14.
- Swanson, H. E. 1949. Blister rust control in the Northwest Region. In: *White pine blister rust control in the Northwest Region*. Spokane, WA: U.S. Department of Agriculture, Bureau of Entomology and Plant Quarantine, Division of Plant Disease Control: 1-6.
- Thomas, G. P.; Bouchier, R. J.; Lowman, A. A. 1960. Rust diseases. In: *Annual Report for Insect and Disease Survey for 1959*. Province of Alberta: Canadian Department of Agriculture, Forest Service, Forest Biology, Forest Disease Survey: 90-91.
- Thompson, L. S. 1977. Dwarf shrew *Sorex nanus* in north central Montana. *Journal of Mammalogy*. 58(2): 248-250. [13079007]
- Thompson, L. S.; Kujit, J. 1976. Montane and subalpine plants of the Sweetgrass Hills, Montana, and their relationship to early post-glacial environments of the Northern Great Plains. *Canadian Field-Naturalist*. 90(4): 432-448. [63056036]
- Tisch, E. L. 1969. Seasonal food habits of the black bear in the Whitefish Range of northwestern Montana. Missoula, MT: University of Montana. 108 p. Unpublished M.S. thesis.
- Tomback, D. F. 1978. Foraging strategies of Clark's nutcracker. *Living Bird*. 16(1977): 123-160. [67001821]
- Tomback, D. F. 1980. How nutcrackers find their seed stores. *The Condor*. 82: 10-19.
- Tomback, D. F. 1981. Notes on cones and vertebrate-mediated seed dispersal of *Pinus albicaulis* (Pinaceae). *Notes and News*. Madrono. 28(2): 91-94.
- Tomback, D. F. 1982. Dispersal of whitebark pine seeds by Clark's nutcracker: a mutualism hypothesis. *Journal of Animal Ecology*. 51(2): 451-467. [75009352]
- Tomback, D. F. 1983. Nutcrackers and pines: coevolution or coadaptation? In: Nitecki, M. H., ed. *Coevolution*. Chicago and London: University of Chicago Press: 179-223.

- Tomback, D. F. 1986. Post-fire regeneration of krummholz whitebark pine: a consequence of nutcracker seed caching. *Madrono*. 33(2): 100-110.
- Tomback, D. F. 1989. The broken circle: fire, birds and whitebark pine. In: Walsh, Tom, compiler and ed. *Wilderness and wildfire*. Misc. Publ. 50. Missoula, MT: University of Montana, School of Forestry, Montana Forest and Range Experiment Station: 14-17.
- Tomback, D. F. [In press]. Nutcracker-pine mutualisms: multi-trunk trees and seed size. In: Ouellet, H., ed. *Acta XIX Congressus Ornithologici Internationalis*.
- Tomback, D. F.; Kramer, K. A. 1980. Limber pine seed harvest by Clark's nutcracker *Nucifraga columbiana* in the Sierra-Nevada USA. Timing and foraging behavior. *Condor*. 82(4): 467-468. [21024147]
- Tranquillini, W. 1979. *Physiological ecology of the alpine timberline*. New York: Springer-Verlag. 137 p.
- Trappe, J. M. 1962. Fungus associates of ectotrophic mycorrhizae. *Botanical Review*. 28: 538-606.
- U.S. Department of Agriculture, Forest Service, Region One, Division of State and Private Forestry. 1957. *White pine blister rust control calendar year 1957*. *White pine blister rust control annual report*, Missoula, MT: 1-36.
- U.S. Department of Agriculture, Forest Service, Region One, Division of State and Private Forestry. 1958. *White pine blister rust control calendar year 1958*. *White pine blister rust control annual report*, Missoula, MT: 1-38.
- U.S. Department of Agriculture, Forest Service, Region One, Division of State and Private Forestry. 1960. *White pine blister rust control calendar year 1960*. *White pine blister rust control annual report*, Missoula, MT: 1-60.
- U.S. Department of Agriculture, Forest Service, Region One, Division of State and Private Forestry. 1965. *White pine blister rust control calendar year 1965*. *White pine blister rust control annual report*, Missoula, MT: 1-77.
- Vander Wall, S. B. 1982. An experimental analysis of cache recovery in Clark's nutcracker. *Animal Behavior*. 30: 84-94.
- Vander Wall, S. B.; Balda, R. P. 1977. Coadaptations of the Clark's nutcracker and the piñon pine for efficient seed harvest and dispersal. *Ecological Monographs*. 47: 89-111.
- Vander Wall, S. B.; Hutchins, H. E. 1983. Dependence of Clark's nutcracker, *Nucifraga columbiana*, on conifer seeds during postfledging period. *Canadian Field-Naturalist*. 97(2): 208-214. [77089669]
- Weaver, T.; Dale, D. 1974. *Pinus albicaulis* in central Montana: environment, vegetation and production. *American Midland Naturalist*. 92: 222-230. [58054325]
- Weaver, T.; Dale, D. 1978. Trampling effects of hikers, motorcycles and horses in meadows and forests. *Journal of Applied Ecology*. 15(2): 451-457. [67060062]
- Weaver, T.; Dale, D.; Hartley, E. 1979. The relationship of trail condition to use, vegetation, user, slope, season, and times. In: Ittner, R.; Potter, D.; Agee, J.; Anschell, S., compilers. *Recreation impact on wildlands*. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 341 p.
- Weaver, T.; Forcella, F. 1977. Biomass of 50 conifer forests and nutrient exports associated with their harvest. *Great Basin Naturalist*. 37(3): 395-401. [66045645]
- Weaver, T.; Forcella, F. 1986. Cone production in *Pinus albicaulis* forests. In: Shearer, R. C., compiler. *Proceedings—conifer tree seed in the Inland Mountain West; 1985 August 5-6*; Missoula, MT. Gen. Tech. Rep. INT-203. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station: 68-76.
- Weir, G. H. 1977. Scanning electron microscope studies of late quaternary fossil pollen from northern Idaho and Washington. *Palynology*. 1: 177. [16035588]
- Weir, G. H.; Thurston, E. L. 1977. Scanning electron microscope identification of fossil Pinaceae pollen to species by surface morphology. *Palynology*. 1: 157-165. [16035552]
- Wheeler, D. W.; Sawyer, J. O. 1982. Natural revegetation of exploration trenches in the Stillwater Complex of the Beartooth Mountains, Montana. In: *Reclamation in mountainous areas*. Guelph, ON: Canadian Land Reclamation Association: 119-138.
- Whipple, S. A.; Dix, R. L. 1979. Age structure and successional dynamics of a Colorado subalpine forest. *American Midland Naturalist*. 101(1): 142-158.
- Yole, D.; Lewis, T.; Inselberg, A.; Pojar, J.; Holmes, D. 1989. A field guide for identification and interpretation of the Engelmann spruce-subalpine fir zone in the Prince Rupert Forest Region, British Columbia. *Land Manage. Handb. 17*. Victoria, BC: British Columbia Ministry of Forests. 83 p.